

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
28 April 2005 (28.04.2005)

PCT

(10) International Publication Number
WO 2005/038058 A1

- (51) International Patent Classification⁷: **C14C 3/16**
- (21) International Application Number:
PCT/EP2004/052465
- (22) International Filing Date: 7 October 2004 (07.10.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
1724/03 9 October 2003 (09.10.2003) CH
- (71) Applicant (for all designated States except US): **TFL Led-ertechnik GmbH** [DE/DE]; Im Schwarzenbach 2, 79576 Weil am Rhein (DE).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **LAUTON, Alain** [FR/FR]; Rue de Baerenfels 8, F-68300 St. Louis (FR). **HERRMANN, Wolfgang** [DE/DE]; Johann-von-Weerthstrasse 21, 79100 Freiburg (DE). **FENNEN, Jens** [DE/DE]; Stückweg 1, 79639 Grenzach-Wyhlen (DE). **GABAGNOU, Catherine** [FR/FR]; 59 Boulevard A. Wallach, F-68100 Mulhouse (FR).
- (74) Agent: **MAUË, Paul, Georg**; Solvias AG. Patents, WKL-402.3.04, Klybeckstrasse 191, CH-4002 Basel (CH).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW). Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM). European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR). OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COMPOSITION FOR THE PRETANNING OF PELTS

(57) Abstract: Compositions comprising a) 5 to 50% by weight of an aliphatic dialdehyde having 2 to 10 carbon atoms; b) 2.5 to 20% by weight of at least one reductive saccharide having a dextrose equivalent of 10 to 100; c) 2.5 to 20% by weight of at least one water-soluble, optionally monoetherified polyoxaalkylene glycol having a molecular weight of more than 100 and not more than 2000; and d) 90 to 10% by weight of water, 0.05 to 0.19 mole of the components b) and c) being added per mole of the component a), outstandingly suitable for the pretanning of pelts and subsequent production of leathers free of heavy metals.

WO 2005/038058 A1